

GB-8886-125

PAG Synthetic Refrigeration Compressor Oil

GB-8886-125 is unique co-polymers of polyalkylene glycols (PAG). The synthetic base oil ensures good cold flow properties, a high chemical stability and low tendency to evaporation. Primary benefits include:

- Low maintenance costs due to extended oil change intervals and reduced oil consumption
- High efficiency of the refrigerating plants
- Low operating costs due to long service life of filters and oil separators

This high-performance lubricant is recommended for use in:

- Automotive Air Conditioning Applications

Typical Physical Properties*

Appearance	Colorless transparent liquid
Density@20℃, g/cm ³	1.039
Viscosity@40℃, mm ² /s	124.2
Viscosity@100℃, mm ² /s	23.23
Viscosity Index	219
Flash Point(open cup), °C	242
Fire Point, °C	264
Pour Point, °C	-42
Copper Strip Test, 100℃, 3hr	1
Foaming, 24℃	35/0

*The above data is typical data, not as product specifications.

Shanghai PingYiao Trading CO., Ltd.

Tel: 86-21-64705533

Adress: A1207, Yinhai Building, No.250, Caoxi Road,Xuhui District , Shanghai 200235
P.R.China

Telephone helpline: (86)15900706965

Fax: 86-21-64705533-209

Website: www.pingyiao.com

E-mail: info@pingyiao.com