

Shanghai PingYiao Trading CO., Ltd.

Sorbead TM **Orange CHAMELEON**®

Indicating silica gel for moisture control, also known as KC-Trockenperlen®

Orange CHAMELEON®

BASF SorbeadTM Orange CHAMELEON® indicating silica gel is the newest adsorbent technology from BASF. Sorbead Orange CHAMELEON is used where processes and products need to be protected from the negative consequences of humidity and moisture.

Similar to our Sorbead TM R adsorbent, BASF Sorbead Orange CHAMELEON is a beaded silica gel with very high mechanical integrity. It meets the demand for a heavy-metal free and environmental friendly indicating agent.

With a new and improved indicator, BASF Sorbead Orange CHAMELEON provides safe moisture indication without any concerns regarding carcinogenic ingredients. It also provides superior moisture indication with a crisp color change.

The degree of moisture uptake is indicated by a color change from orange to colorless at approx. 6 wt% water content. However, it continues to adsorb water from this point until reaching its maximum capacity.

BASF Sorbead Orange CHAMELEON regains its full adsorption capacity when regenerated. Its unique formulations ensures advanced stability against harmful UV-rays.

Typical applications for Sorbead Orange CHAMELEON are transformer air breathers as well as other breather filters, laboratory uses, packaging of moisture sensitive goods and many others.

Typical distribution of grain size

-2.0 - 5.0 mm

Shanghai PingYiao Trading CO., Ltd. Tel: 86-21-64705533

Adress: Xuhui District, Shanghai Caoxi Yinhai Building, A1207 Room, No. 250

Telephone helpline: 15900706965 Fax: 86-21-64705533-209 Website: www.pingyiao.com E-mail: info@pingyiao.com



Shanghai PingYiao Trading CO., Ltd.

Packaging

- Steel drums 55 lbs., 110 lbs., 330 lbs.
- Tins 8 x 6.6 lbs., 20 x 2.2 lbs.

Typical Properties

Chemical Composition	SiO2	97 Gew.%
	Al2O3	3 Gew.%
	Indicator	0.1 Gew.%
Surface Area (BET)	750 m2/g	
Pore Volume	0.4 cm3/g	9
Equilibrium Capacity for	10 % R.H.	6.5 wt. %
Water Vapor at 25° C	80 % R.H	42 wt. %
Packed Bulk Density	0.8 kg/L	
Crushing Strength	0.05 Gew.%	
Color when dry	6,	Deep Orange
Color when wet		Translucent

About us

process catalysts. The group offers exceptional expertise in the development of technologies that protect the air we breathe, produce the fuels that power our world and ensure efficient production of a wide variety of chemicals, plastics and other products. By leveraging our industry-leading R&D platforms, passion for innovation and deep knowledge of precious and base metals, BASF Catalysts develop unique, proprietary catalyst and adsorbent solutions that drive customer success.

Shanghai PingYiao Trading CO., Ltd. Tel: 86-21-64705533

Adress: Xuhui District, Shanghai Caoxi Yinhai Building, A1207 Room, No. 250

Telephone helpline: 15900706965 Fax: 86-21-64705533-209 Website: www.pingyiao.com E-mail: info@pingyiao.com