



Shanghai Jichuan Trading

Wartungs-Spray weiß (Maintenance Spray, White)

DESCRIPTION

Maintenance Spray White is an adherent, waterproof, white, high-performance lubricant. After the solvent has evaporated, the product leaves a soft film of grease.

PROPERTIES

- prevents fretting corrosion/friction corrosion
- reliable corrosion protection
- extremely adherent
- excellent lubricating action
- good water resistance
- outstanding low and high temperature properties
- clean application

TECHNICAL DATA

Colour	: white
Basis	: mineral oil (solid lubricants)
Thickener	: bentonite
Density	: approx. 1.0 g/cm ³ (after solvent has evaporated)
Drop point	
ISO 2176	: none
Consistency grade	: NLGI 2 (after solvent has evaporated)
Operating temperature range	: -30 °C to +250 °C
Propellant	: propane/butane

APPLICATION

Used for lubricating moving parts such as shafts, hinges, joints, pins, Bowden cables, slip rails, chains, springs and lock strikers etc.

INSTRUCTIONS

Shake can before use. Spray large areas without the capillary tube from about 20-25 cm. The capillary tube eases use in places which are not very accessible.
After use, clear spray nozzle by inverting can and spraying until only the propellant emerges.

AVAILABLE PACK SIZE

Maintenance Spray, White

250 ml

Part no. 3075

Shanghai Jichuan Trading Co.,Ltd.

Add: No 1201, Yinhai Building, Caoxi Road, Xuhui District, Shanghai

24h Hotline: 15900706965

Website: www.pingyiao.com

Tel: (86) 021-64820099

Fax: (86) 021-64513829

E-mail: info@jichuan.sh.cn



Shanghai Jichuan Trading

Shanghai Jichuan Trading Co., Ltd.

Shanghai Jichuan Trading Co., Ltd.

Add: No 1201, Yinhai Building, Caoxi
Road, Xuhui District, Shanghai

24h Hotline: 15900706965

Website: www.pingyiao.com

Tel: (86) 021-64820099

Fax: (86) 021-64513829

E-mail: info@jichuan.sh.cn



Shanghai Jichuan Trading

Shanghai Jichuan Trading Co., Ltd.

Shanghai Jichuan Trading Co., Ltd.

Add: No 1201, Yinhai Building, Caoxi Road, Xuhui District, Shanghai

24h Hotline: 15900706965

Website: www.pingyiao.com

Tel: (86) 021-64820099

Fax: (86) 021-64513829

E-mail: info@jichuan.sh.cn