

Biodegradable, highly concentrated safety rust remover



SHANGHAI PING YIAO TRADING CO.,LTD.

Tel: 86-21-64705533 Fax: 86-21-64820538 24H: 86-15900706965 Website: www.pingyiao.com

E-mail: info@pingyiao.com

Free of mineral acids – environmentally safe – very good material compatibility

RIVOLTA B.S.E. removes rust scale and other corrosion residues as well as lime

deposits.

RIVOLTA B.S.E. is used by the industry, craftman's shops, in workshops, motor

vehicle pools, timber yards, purification plants etc.

RIVOLTA B.S.E. can be mixed with water in any ratio up to 1:30. The ratio of

mixture for the use of B.S.E. depends on the chemical nature of the residues and the thickness of the residues. For the highest rate of dissolution of rust B.S.E. should be used at a temperature up to

70 °C.

RIVOLTA B.S.E. can be used for many cleaning-procedures like immersion,

washing, brushing, sprinkling and in ultrasonic applications.

Colour: testaceous Odour: faint

Technical data	Unit of measurement	Norm	B.S.E.
Density (20 °C)	g/ml	DIN 51757	1.14
Flashpoint	°C	-	none
pH value (10% solution)	-	-	2.2

Material-attack: RIVOLTA B.S.E. is not aggressive to common paints, lacquers,

plastics and rubber.

B.S.E. is not suitable for zinc and zinc-coated surfaces.

After treatment of aluminium the surface has to be flushed with

water.

RIVOLTA B.S.E. contains corrosion-inhibitors. Shiny metal parts are short term

protected against corrosion or rust film. For a long-term conservation we recommend rinsing with water and follow-on treatment with our corrosion inhibiting products of the

RIVOLTA K.S.P.-line.

This text contains facts and statements and is determined with our best knowledge and will be checked continuously. These statements are depending - among other reasons - on experiences gained in the industry. We only pass them on without liability. Before using our products you should test the applicability and you should convince yourself about the satisfactory performance. Our application examples and suggestions should not request to violate patent rights.